

```


GRAPH ATTRIBUTES:
RSPEC      4   13   11
NUMBER OF NODES IS 23

```

```
=> s 17 ful
FULL SEARCH INITIATED 10:51:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      858119 TO ITERATE
```

L9 357 SEA SSS FUL L7

L9 357 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN
IN 4-Thiazolocarboxamide, 2-[(2,6-dichlorophenyl)amino]-N-[6-
(trifluoromethyl)-3-pyridinyl]- (9CI)
MF C16 H9 Cl2 F3 N4 O S



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

```
=> s l9 and pyri?
      3192625 PYRI?
```

L10 105 L9 AND PYRI?

=> fil caplus
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
180.34	180.55

FILE 'CAPLUS' ENTERED AT 10:52:10 ON 14 FEB 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Feb 2006 VOL 144 ISS 8
FILE LAST UPDATED: 13 Feb 2006 (20060213/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l10

L11 8 L10

=> d bib abs hitstr 8

L11 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2000:756524 CAPLUS

DN 133:321878

TI Preparation of cyclic protein tyrosine kinase inhibitors

IN Das, Jagabandhu; Padmanabha, Ramesh; Chen, Ping; Norris, Derek J.;
Doweyko, Arthur M. P.; Barrish, Joel C.; Wityak, John

PA Bristol-Myers Squibb Co., USA

SO PCT Int. Appl., 300 pp.

CODEN: PIXXD2



DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2000062778	A1	20001026	WO 2000-US9753	20000412
	W:				
				AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW	
	RW:			GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG	
	CA 2366932	AA	20001026	CA 2000-2366932	20000412
	AU 2000042338	A5	20001102	AU 2000-42338	20000412
	AU 779089	B2	20050106		
	EP 1169038	A1	20020109	EP 2000-922102	20000412
	R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,	

	IE, SI, LT, LV, FI, RO			
BR 2000009721	A	20020213	BR 2000-9721	20000412
TR 200102969	T2	20020821	TR 2001-200102969	20000412
JP 2002542193	T2	20021210	JP 2000-611914	20000412
NZ 513639	A	20040227	NZ 2000-513639	20000412
RU 2260592	C2	20050920	RU 2001-130452	20000412
ZA 2001007204	A	20021202	ZA 2001-7204	20010830
NO 2001004970	A	20011210	NO 2001-4970	20011012
US 2005261305	A1	20051124	US 2005-138793	20050525
US 2005288303	A1	20051229	US 2005-138942	20050526
PRAI US 1999-129510P	P	19990415		
WO 2000-US9753	W	20000412		
US 2000-548929	A1	20000413		
US 2003-378373	A1	20030303		
OS MARPAT 133:321878				
GI				




AB The title compds. [I; Q = (un)substituted 5-6 membered heteroaryl, aryl; Z = a single bond, R15C:CH, (CH2)m (m = 1-2); X1, X2 = H; X1 and X2 together = O, S; R1 = H, alkyl, alkenyl, etc.; R2, R3 = H, alkyl, alkenyl, etc.; R4, R5 = H, alkyl, alkenyl, etc.], useful in the treatment of protein tyrosine kinase-associated disorders such as immunol. and oncol. disorders (no data), were prepared E.g., a multi-step synthesis of thiazole II was given. Compds. I are effective at 0.1-100 mg/kg/day.

IT 302963-43-5P 302963-44-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of cyclic protein tyrosine kinase inhibitors)

RN 302963-43-5 CAPLUS


CN 5-Thiazolecarboxamide, 2-[(6-bromo-2-pyridinyl)amino]-N-(2-chloro-6-methylphenyl)-N-[(4-methoxyphenyl)methyl]- (9CI) (CA INDEX NAME)



ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

RN 302963-44-6 CAPLUS

CN 5-Thiazolecarboxamide, 2-[(6-bromo-2-pyridinyl)amino]-N-(2-chloro-6-methylphenyl)- (9CI) (CA INDEX NAME)



(FILE 'HOME' ENTERED AT 10:44:51 ON 14 FEB 2006)

FILE 'REGISTRY' ENTERED AT 10:44:57 ON 14 FEB 2006

L1 STRUC
L2 46 S L1
L3 STRUC
L4 45 S L3
L5 STRUC
L6 32 S L5
L7 STRUC
L8 0 S L7
L9 357 S L7 FUL
L10 105 S L9 AND PYRI?

FILE 'CAPLUS' ENTERED AT 10:52:10 ON 14 FEB 2006

L11 8 S L10

FILE 'REGISTRY' ENTERED AT 10:53:37 ON 14 FEB 2006

L12 2 S 302961-88-2 OR 302961-89-3

FILE 'CAPLUS' ENTERED AT 10:53:56 ON 14 FEB 2006

L13 4 S L12

=> s l11 not l13

L14 4 L11 NOT L13

=> d bib 1-4

L14 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:1144486 CAPLUS

DN 144:51494

TI Synthesis and evaluation of thiazole carboxamides as vanilloid receptor 1 (TRPV1) antagonists

AU Xi, Ning; Bo, Yunxin; Doherty, Elizabeth M.; Fotsch, Christopher; Gavva, Narender R.; Han, Nianhe; Hungate, Randall W.; Klionsky, Lana; Liu, Qingyian; Tamir, Rami; Xu, Shimin; Treanor, James J. S.; Norman, Mark H.

CS Chemistry Research and Discovery, Amgen Inc., Thousand Oaks, CA, 91320, USA

SO Bioorganic & Medicinal Chemistry Letters (2005), 15(23), 5211-5217

CODEN: BMCLE8; ISSN: 0960-894X

PB Elsevier B.V.

DT Journal

LA English

RE.CNT 23 THERE ARE 23 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2005:471944 CAPLUS

DN 143:26594

TI Preparation of thiazoles and oxazoles useful as modulators of ATP-binding cassette (ABC) transporters

IN Hadida Ruah, Sarah S.; Miller, Mark T.; Grootenhuys, Peter D. J.; Hamilton, Matthew

PA Vertex Pharmaceuticals Incorporated, USA

SO PCT Int. Appl., 146 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005049018	A1	20050602	WO 2004-US38566	20041115
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				

CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO,
 SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
 NE, SN, TD, TG

US 2005130970 A1 20050616 US 2004-989218 20041115
 PRAI US 2003-520355P P 20031114
 OS MARPAT 143:26594
 RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 2004:1068074 CAPLUS
 DN 142:168974
 TI Discovery of N-(2-Chloro-6-methyl-phenyl)-2-(6-(4-(2-hydroxyethyl)-
 piperazin-1-yl)-2-methylpyrimidin-4-ylamino)thiazole-5-carboxamide
 (BMS-354825), a Dual Src/Abl Kinase Inhibitor with Potent Antitumor
 Activity in Preclinical Assays
 AU Lombardo, Louis J.; Lee, Francis Y.; Chen, Ping; Norris, Derek; Barrish,
 Joel C.; Behnia, Kamelia; Castaneda, Stephen; Cornelius, Lyndon A. M.;
 Das, Jagabandhu; Doweiko, Arthur M.; Fairchild, Craig; Hunt, John T.;
 Inigo, Ivan; Johnston, Kathy; Kamath, Amrita; Kan, David; Klei, Herbert;
 Marathe, Punit; Pang, Suhong; Peterson, Russell; Pitt, Sidney; Schieven,
 Gary L.; Schmidt, Robert J.; Tokarski, John; Wen, Mei-Li; Wityak, John;
 Borzilleri, Robert M.
 CS Bristol-Myers Squibb Pharmaceutical Research Institute, Princeton, NJ,
 08543-4000, USA
 SO Journal of Medicinal Chemistry (2004), 47(27), 6658-6661
 CODEN: JMCMAR; ISSN: 0022-2623
 PB American Chemical Society
 DT Journal
 LA English
 OS CASREACT 142:168974
 RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 2004:654774 CAPLUS
 DN 141:190788
 TI A preparation of N-containing heterocyclic compounds, useful as vanilloid
 receptor ligands
 IN Doherty, Elizabeth M.; Fotsch, Christopher H.; Han, Nianhe; Hungate,
 Randall W.; Liu, Qingyian; Norman, Mark H.; Xi, Ning; Xu, Shimin
 PA Amgen Inc., USA
 SO U.S. Pat. Appl. Publ., 38 pp.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004157845	A1	20040812	US 2004-775980	20040209
	CA 2515215	AA	20040826	CA 2004-2515215	20040209
	WO 2004072068	A1	20040826	WO 2004-US3908	20040209
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI				
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE,				

BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU,
 MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN,
 GQ, GW, ML, MR, NE, SN, TD, TG
 EP 1603905 A1 20051214 EP 2004-709532 20040209
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
 PRAI US 2003-446511P P 20030210
 WO 2004-US3908 W 20040209
 OS MARPAT 141:190788

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	11.05	207.55

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.75	-1.50

FILE 'REGISTRY' ENTERED AT 10:55:33 ON 14 FEB 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 13 FEB 2006 HIGHEST RN 874180-50-4
 DICTIONARY FILE UPDATES: 13 FEB 2006 HIGHEST RN 874180-50-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.

 *
 * The CA roles and document type information have been removed from *
 * the IDE default display format and the ED field has been added, *
 * effective March 20, 2005. A new display format, IDERL, is now *
 * available and contains the CA role and document type information. *
 *

Structure search iteration limits have been increased. See HELP SLIMITS
 for details.

REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> d his

(FILE 'HOME' ENTERED AT 10:44:51 ON 14 FEB 2006)

FILE 'REGISTRY' ENTERED AT 10:44:57 ON 14 FEB 2006

L1 STRUC
 L2 46 S L1

L3 STRUC
 L4 45 S L3
 L5 STRUC
 L6 32 S L5
 L7 STRUC
 L8 0 S L7
 L9 357 S L7 FUL
 L10 105 S L9 AND PYRI?

FILE 'CAPLUS' ENTERED AT 10:52:10 ON 14 FEB 2006

L11 8 S L10

FILE 'REGISTRY' ENTERED AT 10:53:37 ON 14 FEB 2006

L12 2 S 302961-88-2 OR 302961-89-3

FILE 'CAPLUS' ENTERED AT 10:53:56 ON 14 FEB 2006

L13 4 S L12

L14 4 S L11 NOT L13

FILE 'REGISTRY' ENTERED AT 10:55:33 ON 14 FEB 2006

=> s l9 not l10


L15 252 L9 NOT L10

=> d scan

L15 252 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN

IN 4-Thiazolecarboxamide, 2-[(2,6-dichlorophenyl)amino]-N-[4-(1-methylethyl)phenyl]- (9CI)

MF C19 H17 Cl2 N3 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
0.44	207.99

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE ENTRY	TOTAL SESSION
0.00	-1.50

CA SUBSCRIBER PRICE

FILE 'CAPLUS' ENTERED AT 10:55:56 ON 14 FEB 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December

26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 14 Feb 2006 VOL 144 ISS 8
FILE LAST UPDATED: 13 Feb 2006 (20060213/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l15

L16 38 L15

=> s l16 and py<2003

22790873 PY<2003

L17 25 L16 AND PY<2003

=> d bib hitstr

L17 ANSWER 1 OF 25 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2002:835624 CAPLUS

DN 139:6779

TI Product class 17: thiazoles

AU Kikelj, D.; Urleb, U.

CS Fac. Pharm., University Ljubljana, Slovenia

SO Science of Synthesis (2002), 11, 627-833

CODEN: SSCYJ9

PB Georg Thieme Verlag

DT Journal; General Review

LA English


IT 105932-00-1P

RL: SPN (Synthetic preparation); PREP (Preparation)

(review of preparation of thiazoles and reactions thereof)

RN 105932-00-1 CAPLUS

CN 4-Thiazolecarboxamide, 5-amino-N-phenyl-2-(phenylamino)- (9CI) (CA INDEX
NAME)



RE.CNT 1224 THERE ARE 1224 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d bib abs hitstr 25

L17 ANSWER 25 OF 25 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1959:56387 CAPLUS

DN 53:56387

OREF 53:10179g-i,10180a-g

TI Thiazolidines. III. Reaction of 2-methylthio-5-phenylthiazoline-4-
carboxylic acid with thionyl chloride and phosphorus pentachloride

AU Holland, D. O.; Mamalis, P.
 CS Beecham Research Labs. Ltd., Betch-worth, UK
 SO Journal of the Chemical Society, Abstracts (1958) 4596-601
 CODEN: JCSAAZ; ISSN: 0590-9791
 DT Journal
 LA Unavailable
 AB cis- (I) and trans-2-Methylthio-5-phenylthiazoline-4-carboxylic acid (II) with SOCl₂ or PCl₅ give a gum which with bases yield compds. believed to be α-(methyldithiocarbonylamino)cinnamic acid derivs. II (2.5 g.) and 2.1 g. PCl₅ in 20 ml. C₆H₆ refluxed 1.5 hrs., the solvent removed, and the residue recrystd. gave 0.4 g. 4-benzylidene-2-methylthiothiazolin-5-one (III), m. 97° (C₆H₆-ligroine). The mother liquor from III left 2 hrs. with PhNH₂, extracted with dilute HCl, washed, dried, and concentrated gave 0.3 g. of α-(methyldithiocarbonylamino)cinnamanilide (IIIa), m. 152-3°, λ 287 mμ, ε 18,235. The mother liquor from a similar reaction treated 2 hrs. with glycine Me ester and 2.1 ml. NEt₃ in 10 ml. CHCl₃ extracted with dilute HCl, washed, evaporated, and treated 2 hrs. at room temperature with 20 ml. N NaOH gave 4-benzylidene-2-methylthiothiazolin-5-one (IV), m. 96-7° (alc.). The remaining alkaline solution extracted with CHCl₃ and acidified gave 0.18 g. 4-benzylidene-4,5-dihydro-2-mercapto-5-oxoglyoxalin-1-ylacetic acid, m. 255°. The CHCl₃ layer from the acidified solution washed, dried, and concentrated gave N-[α-(methyldithiocarbonylamino)cinnamoyl] glycine (IVa), m. 184-5° (CHCl₃-ligroine), λ 304 mμ, ε 12,620; Me ester, m. 86-7° (Et₂O-ligroine). 4-Benzylidene-2-thiothiazolid-5-one (2.5 g.) shaken 10 min. with 1.1 ml. MeI in 11.5 ml. N NaOH gave 1.6 g. IV. IV was also obtained when Me₂SO₄ was used to replace MeI. trans-2-Methylthio-5-phenylthiazoline 4-carboxyhydrazide (1.35 g.) stirred 5 min. at 0° in 7.5 ml. N HCl and 12.5 ml. H₂O with 10 ml. CHCl₃ and 0.4 g. NaNO₂, the CHCl₃ layer separated, washed, treated with 0.5 ml. PhNH₂, and left overnight gave 0.3 g. trans-2-methylthio-5-phenylthiazoline-4-carboxanilide, m. 83-4° (EtOAc-ligroine). The above reaction repeated and the CHCl₃ solution containing the PhNH₂ heated 20 min. gave 2-anilino-5-phenylthiazoline-4-carboxanilide, m. 178° (MeOH). II (2.5 g.) in 100 ml. C₆H₆ concentrated to 50 ml. and treated at room temperature with 3 ml. SOCl₂, the solid removed after 3 hrs. at 10°, and washed with C₆H₆ gave a product, m. 116° (decomposition), which kept in a desiccator developed the odor of SOCl₂. Use of 6 ml. SOCl₂ under reflux 1 hr. gave 1.8 g. IV. II (1.25 g.) and 3 ml. pure SOCl₂ in 5 ml. CHCl₃ refluxed 1 hr. gave a gum which treated with 5 ml. CHCl₃ and 2 ml. PhNH₂ gave 0.90 g. IIIa. The gum from a similar experiment in 10 ml. CHCl₃ treated 3 hrs. with 1.26 g. glycine Me ester-HCl and 7 ml. Et₃N in 15 ml. CHCl₃, extracted with dilute HCl, washed, dried, the solvent removed, the gum stirred 1 hr. with 15 ml. N NaOH, extracted with CHCl₃, acidified, and crystallized gave 1.1 g. IVa. The gum from the reaction of 1.25 g. II with SOCl₂ in CHCl₃ treated 16 hrs. with NH₄OH and isolated gave 0.55 g. α-(methyldithiocarbonylamino)cinnamamide (V), m. 122-4° (aqueous MeOH), λ 304 mμ, ε 11,485. V (0.5 g.) refluxed 15 min. with 4 ml. Ac₂O and 1 drop concentrated H₂SO₄, then left 45 min. on the steam bath, and H₂O added gave 0.34 g. mono-Ac derivative, m. 97-8° (aqueous MeOH). trans-5-Phenyl-2-thiothiazolidine-4-carboxamide (0.5 g.) and 0.5 ml. MeI in 2.5 ml. N NaOH kept 16 hrs. at 0°, extracted with CHCl₃, washed, dried, and concentrated gave trans-2-methylthio-5-phenylthiazoline-4-carboxamide, m. 92-3°. The corresponding amide (1 g.) refluxed 5 hrs. with 5 ml. concentrated HCl, 5 ml. AcOH, and 5 ml. H₂O, cooled, diluted with H₂O, and separated gave 0.75 g. α-(methyldithiocarbonylamino)cinnamic acid (VI), m. 140-1° (aqueous MeOH). After the amide (1 g.) was hydrolyzed 4 hrs. under reflux with 1.5 g. NaOH in 20 ml. 50% MeOH, the Na

salt separated as plates, m. above 290°, and acidification gave VI.
The gum from the reaction of 2.5 g. II with SOCl₂ in CHCl₃ dissolved in 15 ml. MeOH and left overnight gave 1.4 g. Me α-(methylthiocarbonylamino)cinnamate (VII), m. 64-6° (aqueous MeOH).

VII was also obtained from the acid by esterification with CH₂N₂ in EtOAc.

I (2.5 g.) and 6 ml. SOCl₂ refluxed 0.5 hr. in 10 ml. CHCl₃, evaporated, treated in 10 ml. CHCl₃ 3 days with 1.35 g. glycine Et ester-HCl, extracted with dilute HCl, the organic layer washed, dried, concentrated, the gum

hydrolyzed by

stirring 1 hr. with 15 ml. N NaOH, extracted with CHCl₃, acidified, and separated


gave 0.6 g. IVa. When the gum from 1.25 g. I was allowed to react with NH₃, 0.7 g. V was isolated. Similar reaction of the gum with PhNH₂ gave IIIa. Me trans-3-methyl-5-phenyl-2-thiothiazolidine-4-carboxylate was obtained from the corresponding acid by reaction with CH₂N₂ in Et₂O, needles, m. 107-8° (MeOH), λ 276 mμ, ε 16,400, or

by action of refluxing MeOH with a little H₂SO₄. 4-Benzylidene-3-methyl-2-thiothiazolidin-5-one (2 g.) and 7 ml. NH₄OH heated 2 hrs. on a steam bath and cooled gave 1.5 g. trans-3-methyl-5-phenyl-2-thiothiazolidine-4-carboxamide, m. 131-2° (MeOH), λ 277 mμ, ε 17,000. The amide was also obtained by heating 1.0 g. Me ester in 15 ml. MeOH with 6 ml. NH₄OH.

IT 102549-51-9, 2-Thiazoline-4-carboxanilide, 2-anilino-5-phenyl-
(preparation of)

RN 102549-51-9 CAPLUS

CN 2-Thiazoline-4-carboxanilide, 2-anilino-5-phenyl- (6CI) (CA INDEX NAME)




=> d hitstr 24

L17 ANSWER 24 OF 25 CAPLUS COPYRIGHT 2006 ACS on STN

IT 93323-65-0, 4-Oxazolecarboxanilide, 2-benzyl- 98511-88-7
, 4-Oxazolecarboxy-p-toluidide, 2-benzyl-
(preparation of)


RN 93323-65-0 CAPLUS

CN 4-Oxazolecarboxanilide, 2-benzyl- (7CI) (CA INDEX NAME)



RN 98511-88-7 CAPLUS

CN 4-Oxazolecarboxy-p-toluidide, 2-benzyl- (7CI) (CA INDEX NAME)



=> d bib abs hitstr 24

L17 ANSWER 24 OF 25 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1963:53202 CAPLUS

DN 58:53202

OREF 58:9040e-h

TI Compounds with potential antitubercular activity. IV. N-Substituted thioamides of 4-Oxazolecarboxylic acids

AU Sycheva, T. P.; Trupp, T. Kh.; Shchukina, M. N.

CS S. Ordzhoni-kidze All-Union Chem.-Pharm. Res. Inst., Moscow

SO Zhurnal Obshchei Khimii (1962), 32, 2882-5

CODEN: ZOKHA4; ISSN: 0044-460X

DT Journal

LA Unavailable

GI For diagram(s), see printed CA Issue.

AB cf. CA 58, 1448h. Addition of 6.9 g. POCl₃ to 3.81 g. 2-methyl-4-oxazolecarboxylic acid and 2.79 g. PhNH₂ and heating 1 hr. at 130° gave after an aqueous treatment 8.9 g. 2-methyl-4-oxazolecarboxanilide (I, R = Me) (II), m. 133.5-5.5°. Similarly were prepared the following I (R given): PhCH₂, m. 109.5-11°; Ph, m. 187-9°; p-MeC₆H₄, m. 180.5-2.5°. Similarly were prepared: 2-benzyl-4-oxazolecarbomoypholide, m. 108-10° and the corresponding p-toluidide, m. 121-2°. II (1 g.) in 25 ml. pyridine heated with 2 g. P₂S₅ at 120-30° (bath temperature) 4 hrs. gave after an aqueous treatment and extraction of the precipitate with hot MeOH, 0.25

g. yellow 2-methyl-4-oxazolecarbothioanilide (III), m. 123-5°.

Similarly were prepared the III analogs with following 2-substituents:

PhCH₂, m. 111-:3.5; Ph, m. 104-5°. Similarly were prepared

2-benzyl-4-oxazolecarbothio-p-toluidide, m. 91-3°, and the

analogous thiomorpholide, m. 94-6°. 2-p-Tolyl-4-

oxazolecarboxanilide and P₂S₅ in pyridine 10 hrs. at 120-30° gave

after an aqueous treatment yellow 2-p-tolyl-4-thiazolecarbothioanilide, m.

147-9°. Et 2-p-tolyl-4-oxazolecarboxylate in 2N NaOH 1 hr. gave the

free acid, decomposed 229-30°. The replacement of the hetero O atom

by S in the reaction with P₂S₅ was not observed for the other examples above.


IT 93323-65-0, 4-Oxazolecarboxanilide, 2-benzyl- 98511-88-7

, 4-Oxazolecarboxy-p-toluidide, 2-benzyl-

(preparation of)


RN 93323-65-0 CAPLUS

CN 4-Oxazolecarboxanilide, 2-benzyl- (7CI) (CA INDEX NAME)




RN 98511-88-7 CAPLUS

CN 4-Oxazolecarboxy-p-toluidide, 2-benzyl- (7CI) (CA INDEX NAME)



AN 2005:471944 CAPLUS
 DN 143:26594
 TI Preparation of thiazoles and oxazoles useful as modulators of ATP-binding cassette (ABC) transporters
 IN Hadida Ruah, Sarah S.; Miller, Mark T.; Grootenhuys, Peter D. J.; Hamilton, Matthew
 PA Vertex Pharmaceuticals Incorporated, USA
 SO PCT Int. Appl., 146 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005049018	A1	20050602	WO 2004-US38566	20041115
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2005130970	A1	20050616	US 2004-989218	20041115
PRAI	US 2003-520355P	P	20031114		
OS	MARPAT 143:26594				
GI					



AB A method of modulating ABC transporter activity comprises administration of title compds. [I; X = O, S; R1 = H, 3-8 membered (substituted) (unsatd.) (heterocyclic) ring; Z = bond, (substituted) (heteroatom-interrupted) alkylidene; R2 = halo, CF3, cyano, NO2, TqR; R3 = UmR'; R4 = VpCyl; m, p, q = 0, 1; U, V, T = (substituted) (heteroatom-interrupted) alkylidene; Cyl = 3-8 membered (substituted) (unsatd.) (heterocyclic) ring; R = H, (substituted) alipharyl; R' = R, (substituted) (unsatd.) (heterocyclic) ring]. Thus, 2-(4-methoxybenzyl)thiazole-4-carboxylic acid, C-[1-(3,4-dimethoxyphenyl)cyclopentyl]methylamine (preparation given), Et3N, and O-(7-azabenzotriazol-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate were stirred together for 16 h in MeCN to give 43.9% 2-(4-methoxybenzyl)thiazole-4-carboxylic acid [1-(3,4-dimethoxyphenyl)cyclopentyl]methylamide. Some I exhibit a relative modulating efficacy of >30%.


IT 852639-06-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of thiazoles and oxazoles useful as modulators of ATP-binding cassette transporters)

RN 852639-06-6 CAPLUS

CN 4-Thiazolecarboxamide, 2-[(2,6-dichlorophenyl)methyl]-N-(3,4-dimethoxyphenyl)- (9CI) (CA INDEX NAME)



RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT